

Table 4F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Page: 1
Run Date: 3 / 13 / 09

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
16th Street	7,023	4.0	5.5	84.9	0.1	4.3	1.1	0.0
Aurora	4,153	4.4	80.5	5.8	0.5	7.5	1.3	0.0
Barron Cty	1,145	84.6	4.8	8.4	0.5	0.2	1.5	0.0
Bay Area	890	81.9	0.0	2.8	4.6	0.2	10.4	0.0
Buffalo	418	87.8	0.2	7.4	0.5	0.2	3.8	0.0
Burnett Cty	386	85.2	0.8	4.4	1.0	0.0	8.5	0.0
Calumet Cty	645	64.5	4.2	20.6	0.2	8.1	2.5	0.0
Chippewa	1,419	90.6	0.7	2.6	0.6	1.1	4.4	0.1
City Mad	7,344	27.4	21.5	36.0	0.2	7.1	7.8	0.0
Clark Cty	804	72.0	0.4	25.6	0.1	0.1	1.7	0.0
Columbia Cty	855	77.4	0.8	17.0	0.1	0.2	4.4	0.0
Cudahy	2,480	62.0	3.5	25.3	0.2	1.3	7.7	0.0
Dane Cty	6	*	*	*	*	*	*	*
Dodge Cty	1,361	65.3	1.2	28.7	0.1	0.4	4.2	0.0
Door Cty	479	81.8	2.3	13.4	0.4	0.2	1.9	0.0
Dunn Cty	927	78.4	0.6	5.9	0.1	9.9	5.0	0.0
Eau Claire	2,394	67.7	1.3	8.6	0.5	11.1	10.9	0.0
Family Health	1,070	64.6	0.4	31.0	0.2	0.7	3.0	0.1
Family Plan	3,646	64.0	1.5	9.3	0.3	18.5	6.4	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Page: 2
Run Date: 3 / 13 / 09

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Florence Cty	128	90.6	0.0	5.5	1.6	0.0	2.3	0.0
Fond du Lac	1,988	62.3	3.1	24.4	0.0	4.2	6.0	0.0
Forest Cty	225	90.2	0.0	2.2	2.2	0.0	5.3	0.0
GLITC	1,320	7.5	0.2	4.3	77.5	0.2	10.3	0.1
Grant Cty	1,243	92.1	0.8	5.1	0.0	0.2	1.7	0.0
Green Cty	655	80.2	0.2	17.3	0.0	0.3	2.1	0.0
Health	3,762	30.4	20.3	40.0	0.1	0.3	8.9	0.0
Jackson	570	81.1	0.7	6.1	8.2	0.9	2.8	0.2
Jefferson Cty	1,725	51.2	0.7	45.6	0.1	0.3	2.0	0.1
Juneau	1,311	86.0	0.5	7.9	0.1	0.4	5.2	0.0
Kenosha Cty	4,128	34.8	17.5	40.5	0.4	0.6	6.2	0.0
Kewaunee Cty	323	71.2	1.5	23.8	0.3	0.0	3.1	0.0
La Crosse Cty	2,425	67.3	3.5	4.2	0.4	14.9	9.7	0.0
Marinette	1,051	94.9	0.1	2.5	0.5	0.1	2.0	0.0
Menominee	588	0.2	0.0	15.8	34.2	0.2	49.3	0.3
Mil. City	8,592	8.2	57.7	25.2	0.3	3.9	4.6	0.0
MLK	2,967	3.1	83.0	7.9	0.2	0.7	4.9	0.1
Monitowoc	1,660	58.1	1.3	23.0	0.7	10.6	6.2	0.0
Monroe Cty	1,153	75.0	1.1	19.1	0.6	1.1	3.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Page: 3
Run Date: 3 / 13 / 09

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
NEW Comm	6,084	44.6	5.5	36.0	2.1	7.1	4.6	0.0
NHA	4,154	62.5	9.7	23.9	0.1	0.9	3.0	0.0
NWCSA	1,233	80.9	0.6	4.6	1.1	0.8	11.9	0.0
Oconto Cty	631	91.6	0.2	5.7	0.3	0.2	2.1	0.0
Oneida	579	8.3	0.5	22.8	54.4	0.7	13.3	0.0
Oneida Cty	633	91.0	0.3	4.4	0.6	0.3	3.3	0.0
Outagamie	2,593	56.8	2.4	21.4	0.7	13.3	5.3	0.0
Pierce Cty	724	86.7	1.1	5.2	0.6	0.6	5.8	0.0
Polk Cty	982	92.4	0.2	3.5	0.6	0.1	3.3	0.0
Portage Cty	1,210	66.6	0.6	15.7	0.2	13.6	3.3	0.0
Price Cty	475	89.5	0.4	3.4	0.2	3.4	3.2	0.0
Racine	1,806	15.5	38.4	38.4	0.2	0.3	6.5	0.8
Rusk Cty	414	89.4	1.2	4.3	0.0	0.0	5.1	0.0
Sauk Cty	1,403	76.3	1.1	19.8	0.9	0.0	1.9	0.0
Sawyer Cty	460	70.0	1.5	5.0	19.6	0.7	3.3	0.0
Seeds	3,282	14.7	3.6	72.8	0.4	1.4	7.1	0.0
Shawano	834	74.8	0.6	9.7	6.5	0.4	8.0	0.0
Sheboygan	2,377	45.8	2.7	29.7	0.0	17.7	4.0	0.0
St. Croix Cty	1,196	82.2	1.3	8.5	0.3	2.5	5.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin

Page: 4
Run Date: 3 / 13 / 09

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
SWCAP	1,283	86.0	0.7	10.4	0.2	0.2	2.4	0.0
Taylor Cty	453	85.2	0.2	10.6	0.0	0.0	4.0	0.0
Tremp	800	62.1	0.1	35.3	0.4	0.3	1.9	0.0
Vernon Cty	758	88.0	0.7	8.0	0.1	0.4	2.8	0.0
Vilas	280	92.5	0.7	3.6	1.8	0.0	1.4	0.0
Walworth Cty	2,062	45.1	1.1	49.0	0.6	0.8	3.3	0.0
Wash/Oz	2,020	75.1	3.0	14.4	0.3	0.7	6.5	0.0
Washburn Cty	449	87.8	0.0	5.6	1.6	1.1	4.0	0.0
Waukesha Cty	2,439	48.8	5.7	36.9	0.4	1.2	7.1	0.0
Waupaca Cty	853	85.7	0.0	12.7	0.0	0.1	1.5	0.0
Wee Care	8,432	4.5	83.9	3.3	0.1	5.0	3.1	0.1
West Allis	1,341	54.1	7.8	24.1	0.5	1.7	11.8	0.0
Winnebago	2,613	63.2	3.8	17.5	0.3	8.1	7.0	0.0
Wood Cty	1,536	81.3	0.7	9.3	0.3	4.1	4.4	0.0
Wisconsin	129,648	45.1	18.5	24.9	1.7	4.4	5.2	0.0
Nation (Prior Year)	7,995,600	31.6	19.4	40.9	1.0	2.5	1.8	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 3 / 13 / 09

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
16th Street	7,023	30.5	19.8	49.7
Aurora	4,153	48.7	14.9	36.4
Barron Cty	1,145	36.6	21.5	41.9
Bay Area	890	30.2	21.6	48.2
Buffalo	418	35.6	16.3	48.1
Burnett Cty	386	31.9	23.6	44.6
Calumet Cty	645	30.5	22.3	47.1
Chippewa	1,419	31.1	22.3	46.6
City Mad	7,344	36.1	21.8	42.1
Clark Cty	804	33.6	20.3	46.1
Columbia Cty	855	37.3	21.8	40.9
Cudahy	2,480	35.7	24.9	39.4
Dane Cty	6	*	*	*
Dodge Cty	1,361	34.3	20.6	45.1
Door Cty	479	37.0	15.4	47.6
Dunn Cty	927	34.0	19.1	46.9
Eau Claire	2,394	35.3	19.5	45.3
Family Health	1,070	38.1	16.7	45.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 3 / 13 / 09

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Family Plan	3,646	34.1	21.4	44.6
Florence Cty	128	32.0	20.3	47.7
Fond du Lac	1,988	32.2	22.4	45.4
Forest Cty	225	33.3	20.0	46.7
GLITC	1,320	28.0	22.7	49.4
Grant Cty	1,243	33.7	20.1	46.2
Green Cty	655	33.4	21.4	45.2
Health	3,762	39.5	19.2	41.3
Jackson	570	32.3	18.6	49.1
Jefferson Cty	1,725	35.9	19.7	44.3
Juneau	1,311	34.8	20.5	44.7
Kenosha Cty	4,128	37.3	22.1	40.6
Kewaunee Cty	323	39.6	15.8	44.6
La Crosse Cty	2,425	34.0	22.1	44.0
Marinette	1,051	31.8	22.5	45.8
Menominee	588	31.5	22.3	46.3
Mil. City	8,592	30.3	24.3	45.4
MLK	2,967	30.5	25.3	44.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 3
Run Date: 3 / 13 / 09

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Monitowoc	1,660	36.9	18.4	44.7
Monroe Cty	1,153	36.2	21.4	42.4
NEW Comm	6,084	31.8	22.7	45.5
NHA	4,154	38.5	20.0	41.5
NWCSA	1,233	36.2	20.9	42.9
Oconto Cty	631	35.3	18.5	46.1
Oneida	579	33.7	25.6	40.8
Oneida Cty	633	41.1	16.7	42.2
Outagamie	2,593	32.5	22.0	45.5
Pierce Cty	724	32.6	20.4	47.0
Polk Cty	982	35.0	23.4	41.5
Portage Cty	1,210	38.0	19.8	42.2
Price Cty	475	29.3	19.8	50.9
Racine	1,806	35.3	19.7	45.1
Rusk Cty	414	34.8	19.3	45.9
Sauk Cty	1,403	36.6	20.1	43.3
Sawyer Cty	460	34.6	18.0	47.4
Seeds	3,282	30.7	25.2	44.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 4
Run Date: 3 / 13 / 09

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Shawano	834	28.5	26.5	45.0
Sheboygan	2,377	31.0	23.4	45.6
St. Croix Cty	1,196	37.7	18.5	43.8
SWCAP	1,283	38.1	20.4	41.5
Taylor Cty	453	37.3	20.1	42.6
Trempealeau	800	36.3	20.6	43.1
Vernon Cty	758	35.2	21.1	43.7
Vilas	280	36.4	21.1	42.5
Walworth Cty	2,062	39.8	18.8	41.4
Wash/Oz	2,020	35.6	21.8	42.6
Washburn Cty	449	31.6	21.6	46.8
Waukesha Cty	2,439	41.2	18.4	40.3
Waupaca Cty	853	37.3	23.3	39.4
Wee Care	8,432	35.2	21.6	43.3
West Allis	1,341	38.6	22.7	38.6
Winnebago	2,613	39.0	20.2	40.8
Wood Cty	1,536	41.9	18.4	39.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 5
Run Date: 3 / 13 / 09

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Wisconsin	129,648	35.0	21.2	43.8
Nation (Prior Year)	7,995,600	37.6	22.1	40.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 1
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)														
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)			
	Low		High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
16th Street	1,449	6.6 (16)	7.5 (18)		6,888	7.0 (64)	1.1 (2)	21.6 (67)		3,433	21.9 (65)	24.0 (66)	5,337	11.6 (55)
Aurora	1,543	9.5 (47)	4.3 (2)		4,083	4.4 (18)	7.0 (69)	9.3 (3)		1,478	14.7 (16)	10.5 (10)	2,191	28.5 (69)
Barron Cty	279	8.2 (34)	9.7 (41)		1,125	4.6 (24)	2.7 (28)	12.3 (31)		488	16.8 (38)	13.9 (41)	814	9.7 (46)
Bay Area	192	5.2 (5)	11.5 (52)		879	4.3 (13)	3.4 (40)	11.5 (24)		428	15.4 (23)	11.4 (18)	678	7.4 (32)
Buffalo	94	* *	* *		411	2.4 (1)	3.4 (40)	10.9 (16)		200	15.5 (24)	13.0 (31)	309	12.6 (60)
Burnett Cty	88	* *	* *		381	4.2 (12)	3.7 (46)	9.4 (5)		168	14.9 (19)	8.9 (5)	288	2.1 (1)
Calumet Cty	148	8.8 (41)	8.1 (23)		633	6.5 (57)	5.5 (65)	12.5 (33)		302	16.6 (36)	15.9 (55)	482	4.6 (13)
Chippewa	335	6.6 (16)	8.1 (23)		1,401	6.9 (62)	2.4 (17)	12.8 (38)		646	17.5 (44)	13.3 (35)	1,052	12.5 (58)
City Mad	1,882	7.5 (26)	8.4 (28)		7,136	4.5 (20)	3.1 (36)	12.6 (35)		3,064	12.2 (6)	10.2 (9)	5,126	11.0 (50)
Clark Cty	180	9.4 (46)	9.4 (38)		788	5.5 (41)	2.3 (14)	13.1 (39)		373	21.7 (64)	11.0 (15)	582	13.9 (62)
Columbia Cty	222	9.0 (44)	9.9 (45)		847	5.5 (41)	4.3 (55)	10.4 (12)		342	16.4 (33)	12.0 (23)	598	8.9 (41)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 2
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by Local Agency (3,4)														
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)			
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Cudahy	700	8.3 (35)	9.1 (34)	2,410	6.3 (55)	3.0 (34)	11.5 (24)		963	16.0 (30)	12.3 (26)		1,683	11.3 (52)
Dane Cty	0	* *	* *	4	* *	* *	* *		0	* *	* *		6	* *
Dodge Cty	334	8.4 (37)	6.3 (8)	1,329	4.7 (26)	4.4 (60)	9.9 (9)		601	12.3 (7)	7.8 (3)		966	5.0 (16)
Door Cty	124	7.3 (25)	10.5 (49)	474	4.0 (9)	3.8 (47)	8.9 (2)		229	16.6 (36)	13.5 (38)		339	3.8 (9)
Dunn Cty	202	5.4 (6)	9.4 (38)	907	6.0 (50)	3.4 (40)	10.9 (16)		420	19.5 (59)	10.7 (11)		677	4.9 (14)
Eau Claire	578	5.5 (8)	9.7 (41)	2,370	5.4 (37)	2.5 (21)	10.2 (10)		1,070	17.5 (44)	11.7 (20)		1,724	11.8 (56)
Family Health	236	6.4 (12)	9.7 (41)	1,044	5.5 (41)	2.7 (28)	15.7 (61)		475	17.1 (40)	16.8 (59)		756	8.6 (39)
Family Plan	845	7.2 (23)	6.0 (6)	3,585	7.5 (67)	1.6 (6)	14.0 (46)		1,608	18.3 (50)	14.6 (47)		2,729	6.3 (24)
Florence Cty	26	* *	* *	125	8.8 (70)	0.0 (1)	11.2 (19)		62	* *	* *		86	* *
Fond du Lac	455	9.9 (48)	8.1 (23)	1,946	7.0 (64)	3.4 (40)	10.5 (15)		898	14.7 (16)	9.7 (6)		1,467	8.9 (41)
Forest Cty	47	* *	* *	218	5.0 (32)	3.2 (37)	16.1 (63)		106	13.2 (9)	19.8 (63)		169	10.1 (48)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 3
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)													
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)			Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
GLITC	246	6.5 (14)	14.6 (60)	1,269	3.2 (4)	2.4 (17)	22.6 (70)	619	21.6 (63)	24.1 (67)		997	9.7 (46)
Grant Cty	286	7.0 (21)	11.5 (52)	1,223	4.5 (20)	3.8 (47)	11.0 (18)	570	15.3 (22)	12.1 (25)		940	3.2 (4)
Green Cty	148	10.1 (50)	12.2 (55)	642	7.9 (68)	2.6 (26)	18.1 (65)	285	17.9 (49)	24.9 (68)		464	10.6 (49)
Health	1,028	11.1 (58)	6.9 (15)	3,659	5.9 (47)	3.6 (45)	13.6 (44)	1,533	16.4 (33)	13.6 (40)		2,613	8.2 (35)
Jackson	119	4.2 (2)	14.3 (58)	566	6.9 (62)	1.8 (8)	12.2 (29)	280	20.7 (62)	13.9 (41)		390	7.7 (34)
Jefferson Cty	402	6.2 (10)	8.5 (29)	1,686	4.3 (13)	2.9 (33)	12.4 (32)	764	17.5 (44)	14.5 (46)		1,236	5.7 (20)
Juneau	294	8.5 (38)	10.9 (50)	1,272	5.6 (45)	2.1 (11)	14.8 (55)	583	16.5 (35)	14.6 (47)		954	7.1 (29)
Kenosha Cty	1,107	10.7 (55)	6.8 (12)	4,028	7.9 (68)	1.8 (8)	15.5 (60)	1,652	15.9 (28)	12.5 (29)		2,803	12.5 (58)
Kewaunee Cty	77	* *	* *	321	5.3 (36)	1.2 (4)	18.1 (65)	143	20.3 (61)	13.3 (35)		229	14.8 (64)
La Crosse Cty	600	8.3 (35)	8.0 (21)	2,363	6.7 (60)	3.9 (50)	11.3 (20)	1,059	19.9 (60)	11.0 (15)		1,764	6.6 (26)
Marinette	222	5.4 (6)	9.0 (33)	1,030	4.7 (26)	6.7 (67)	8.6 (1)	474	9.3 (1)	5.3 (1)		769	3.9 (11)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 4
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)													
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Menominee	147	3.4 (1)	14.3 (58)	570	2.6 (2)	1.1 (2)	21.6 (67)	263	23.2 (69)	21.3 (65)		424	5.9 (22)
Mil. City	1,986	10.5 (51)	5.5 (5)	8,349	7.4 (66)	4.3 (55)	13.2 (41)	3,830	16.1 (32)	13.4 (37)		6,354	20.6 (67)
MLK	629	11.8 (60)	4.5 (3)	2,892	4.7 (26)	6.9 (68)	9.8 (8)	1,280	10.1 (3)	6.4 (2)		2,234	19.1 (66)
Monitowoc	403	10.7 (55)	6.5 (9)	1,641	4.8 (29)	3.4 (40)	14.0 (46)	737	18.7 (53)	15.6 (54)		1,140	8.2 (35)
Monroe Cty	266	8.6 (39)	10.2 (46)	1,127	4.5 (20)	1.5 (5)	14.7 (54)	484	15.9 (28)	12.6 (30)		818	6.6 (26)
NEW Comm	1,476	7.7 (30)	8.5 (29)	5,919	4.6 (24)	4.3 (55)	13.2 (41)	2,722	13.1 (8)	12.0 (23)		4,437	6.7 (28)
NHA	1,067	7.2 (23)	7.2 (17)	4,074	4.3 (13)	3.9 (50)	14.1 (49)	1,692	17.0 (39)	14.6 (47)		2,840	8.5 (38)
NWCSA	302	4.6 (4)	13.6 (57)	1,218	3.9 (7)	3.8 (47)	14.0 (46)	529	19.3 (57)	17.0 (60)		821	13.4 (61)
Oconto Cty	136	8.8 (41)	10.3 (47)	623	4.5 (20)	1.6 (6)	15.9 (62)	287	18.8 (54)	18.1 (62)		469	7.2 (30)
Oneida	143	6.3 (11)	13.3 (56)	559	5.4 (37)	2.5 (21)	22.2 (69)	231	22.1 (67)	32.0 (69)		408	3.2 (4)
Oneida Cty	163	8.6 (39)	9.8 (44)	627	5.4 (37)	4.6 (61)	9.6 (7)	267	10.9 (5)	13.1 (33)		430	5.8 (21)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 5
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Outagamie	677	9.3 (45)	6.5 (9)	2,523	4.0 (9)	5.0 (62)	11.8 (27)	1,163	18.5 (52)	13.2 (34)		1,655	9.0 (43)
Pierce Cty	154	7.1 (22)	10.4 (48)	711	6.8 (61)	2.0 (10)	14.3 (51)	336	19.3 (57)	9.8 (7)		538	12.3 (57)
Polk Cty	259	6.9 (19)	5.4 (4)	956	3.9 (7)	4.3 (55)	9.3 (3)	400	13.3 (11)	10.0 (8)		679	9.4 (45)
Portage Cty	278	7.6 (29)	6.8 (12)	1,187	6.1 (52)	2.7 (28)	11.7 (26)	502	13.5 (12)	12.4 (27)		867	4.3 (12)
Price Cty	79	* *	* *	466	4.3 (13)	3.0 (34)	14.6 (52)	242	21.9 (65)	15.3 (51)		382	3.4 (7)
Racine	433	10.6 (53)	6.5 (9)	1,716	3.5 (5)	2.7 (28)	13.1 (39)	765	14.2 (14)	11.8 (21)		1,308	16.3 (65)
Rusk Cty	85	* *	* *	409	3.7 (6)	2.7 (28)	15.2 (59)	191	22.5 (68)	19.9 (64)		307	5.2 (18)
Sauk Cty	337	4.5 (3)	9.2 (36)	1,371	5.0 (32)	2.3 (14)	14.2 (50)	597	18.3 (50)	16.2 (57)		1,001	2.7 (3)
Sawyer Cty	99	* *	* *	451	4.9 (31)	2.4 (17)	12.2 (29)	214	17.3 (41)	15.4 (52)		344	5.2 (18)
Seeds	768	7.8 (32)	8.6 (31)	3,210	3.1 (3)	4.1 (53)	12.6 (35)	1,416	18.9 (55)	15.4 (52)		2,402	11.1 (51)
Shawano	184	6.5 (14)	6.0 (6)	812	6.4 (56)	2.2 (12)	15.1 (58)	366	14.2 (14)	14.2 (43)		631	6.3 (24)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)													
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sheboygan	568	8.8 (41)	6.9 (15)	2,326	5.5 (41)	5.4 (64)	12.5 (33)	1,074	15.6 (25)	14.2 (43)		1,721	3.2 (4)
St. Croix Cty	288	6.9 (19)	8.0 (21)	1,174	6.0 (50)	2.5 (21)	11.3 (20)	521	15.7 (26)	14.4 (45)		849	4.9 (14)
SWCAP	351	8.0 (33)	9.1 (34)	1,265	6.2 (53)	2.6 (26)	13.4 (43)	530	18.9 (55)	15.1 (50)		880	11.3 (52)
Taylor Cty	120	10.8 (57)	11.7 (54)	443	4.1 (11)	6.5 (66)	10.4 (12)	185	9.7 (2)	8.1 (4)		325	2.5 (2)
Tremp	196	7.7 (30)	9.2 (36)	770	4.4 (18)	2.2 (12)	17.7 (64)	336	17.6 (47)	17.6 (61)		555	9.2 (44)
Vernon Cty	182	6.6 (16)	11.0 (51)	742	5.4 (37)	2.4 (17)	12.7 (37)	327	17.7 (48)	15.9 (55)		534	5.1 (17)
Vilas	65	* *	* *	274	6.6 (59)	5.1 (63)	10.2 (10)	114	13.2 (9)	11.4 (18)		185	3.8 (9)
Walworth Cty	520	5.8 (9)	8.1 (23)	2,022	5.9 (47)	2.5 (21)	14.8 (55)	828	15.2 (21)	16.2 (57)		1,453	7.2 (30)
Wash/Oz	534	6.4 (12)	8.1 (23)	1,981	5.9 (47)	2.5 (21)	11.9 (28)	862	14.7 (16)	10.7 (11)		1,397	8.6 (39)
Washburn Cty	92	* *	* *	445	4.3 (13)	7.4 (70)	9.4 (5)	210	10.5 (4)	12.4 (27)		339	8.3 (37)
Waukesha Cty	651	7.5 (26)	7.8 (20)	2,400	4.8 (29)	2.3 (14)	13.7 (45)	963	17.3 (41)	13.0 (31)		1,550	6.1 (23)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 7
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)												
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Waupaca Cty	218	10.6 (53)	8.7 (32)	830	6.5 (57)	3.9 (50)	14.9 (57)	339	15.0 (20)	11.8 (21)	591	3.4 (7)
Wee Care	2,100	11.2 (59)	3.9 (1)	8,262	5.8 (46)	4.1 (53)	11.3 (20)	3,605	13.9 (13)	10.9 (14)	5,859	20.9 (68)
West Allis	363	10.5 (51)	9.6 (40)	1,313	5.2 (34)	4.3 (55)	10.4 (12)	513	17.3 (41)	10.7 (11)	892	13.9 (62)
Winnebago	677	10.0 (49)	6.8 (12)	2,569	6.2 (53)	3.3 (39)	14.6 (52)	1,044	16.0 (30)	13.5 (38)	1,819	11.4 (54)
Wood Cty	456	7.5 (26)	7.7 (19)	1,499	5.2 (34)	3.2 (37)	11.3 (20)	594	15.8 (27)	11.1 (17)	963	7.6 (33)
Wisconsin	31,940	8.5	7.6	126,769	5.5	3.5	13.3	55,875	16.3	13.6	91,619	11.0
Nation (Prior Year)	1,953,242	9.1	6.4	7,526,585	6.2	4.5	13.9	3,058,130	16.4	14.9	4,759,588	15.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2008 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 1
Run Date: 3 / 13 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
16th Street	1,447	84.5 (1)	728	43.5 (2)	1,089	26.3 (1)	497	12.7 (21)	670	5.5 (25)	3,774	80.7 (49)	6,977	4.6 (3)
Aurora	1,544	38.1 (60)	369	16.5 (45)	516	8.7 (44)	224	10.3 (26)	332	1.8 (41)	1,545	83.2 (36)	4,110	14.7 (64)
Barron Cty	284	71.1 (15)	116	28.4 (18)	160	8.8 (42)	109	21.1 (11)	111	8.1 (15)	522	81.4 (46)	1,137	7.8 (24)
Bay Area	194	74.7 (9)	109	38.5 (3)	137	16.8 (6)	77	* *	105	14.3 (3)	456	89.3 (7)	880	7.3 (20)
Buffalo	94	* *	48	* *	61	* *	34	* *	47	* *	210	89.5 (6)	415	11.3 (51)
Burnett Cty	88	* *	35	* *	56	* *	32	* *	35	* *	176	98.3 (1)	384	12.2 (58)
Calumet Cty	148	62.2 (42)	67	* *	90	* *	48	* *	63	* *	330	78.5 (55)	643	9.0 (41)
Chippewa	335	62.1 (43)	132	27.3 (22)	226	11.1 (26)	79	* *	106	5.7 (24)	709	88.3 (11)	1,416	8.2 (30)
City Mad	1,885	76.7 (5)	890	45.1 (1)	1,167	22.9 (2)	737	19.4 (14)	804	10.9 (10)	3,306	84.7 (27)	7,194	5.9 (10)
Clark Cty	180	77.2 (4)	73	* *	101	6.9 (51)	54	* *	68	* *	413	86.7 (16)	803	8.1 (27)
Columbia Cty	221	70.1 (17)	106	34.0 (7)	137	16.8 (6)	75	* *	91	* *	365	79.7 (53)	853	8.9 (39)
Cudahy	702	68.7 (20)	274	25.5 (28)	424	9.9 (37)	177	8.5 (29)	240	3.8 (33)	1,056	68.8 (68)	2,469	17.0 (67)
Dane Cty	0	* *	0	* *	3	* *	0	* *	0	* *	0	* *	6	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 2
Run Date: 3 / 13 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Dodge Cty	333	76.0 (8)	136	30.1 (16)	199	16.6 (8)	109	22.9 (9)	131	12.2 (8)	653	90.5 (5)	1,340	5.3 (6)
Door Cty	122	67.2 (29)	51	* *	71	* *	36	* *	49	* *	239	86.6 (17)	470	5.1 (5)
Dunn Cty	205	73.7 (10)	102	28.4 (18)	125	8.8 (42)	72	* *	99	* *	460	85.9 (21)	920	5.5 (8)
Eau Claire	577	69.8 (18)	243	25.9 (26)	345	8.4 (46)	180	16.7 (15)	229	7.4 (19)	1,163	83.1 (38)	2,394	4.8 (4)
Family Health	241	62.7 (39)	121	26.4 (23)	167	10.2 (35)	91	* *	97	* *	503	75.1 (63)	1,051	11.3 (51)
Family Plan	848	58.5 (52)	430	20.2 (40)	526	8.9 (41)	277	15.5 (16)	381	5.8 (23)	1,742	83.3 (35)	3,635	9.1 (42)
Florence Cty	25	* *	14	* *	14	* *	9	* *	12	* *	67	* *	127	10.2 (48)
Fond du Lac	454	67.4 (28)	232	29.7 (17)	329	11.6 (21)	175	21.7 (10)	224	6.3 (21)	974	85.6 (24)	1,978	7.6 (22)
Forest Cty	47	* *	22	* *	33	* *	14	* *	22	* *	116	75.9 (61)	221	15.4 (66)
GLITC	245	60.0 (47)	125	19.2 (42)	183	11.5 (23)	67	* *	113	4.4 (30)	655	82.7 (40)	1,298	14.3 (63)
Grant Cty	286	60.8 (46)	140	26.4 (23)	161	12.4 (17)	79	* *	114	4.4 (30)	617	70.5 (66)	1,240	8.2 (30)
Green Cty	148	58.1 (54)	82	* *	105	10.5 (31)	62	* *	80	* *	319	87.5 (13)	648	12.0 (57)
Health	1,023	61.3 (45)	373	23.9 (35)	525	10.3 (33)	300	12.3 (22)	359	4.7 (28)	1,667	80.0 (52)	3,627	10.1 (47)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 3
Run Date: 3 / 13 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Jackson	119	66.4 (33)	50	* *	79	* *	41	* *	46	* *	298	82.2 (43)	569	7.9 (25)
Jefferson Cty	406	68.2 (24)	203	25.1 (30)	258	11.6 (21)	144	6.9 (34)	178	3.4 (35)	817	86.9 (15)	1,693	8.2 (30)
Juneau	300	68.3 (22)	141	26.2 (25)	198	7.6 (48)	122	26.2 (5)	137	13.1 (5)	637	75.0 (64)	1,302	20.0 (70)
Kenosha Cty	1,100	62.3 (41)	429	21.2 (38)	651	8.6 (45)	316	7.6 (33)	394	2.8 (37)	1,794	80.9 (48)	4,073	9.4 (43)
Kewaunee Cty	77	* *	32	* *	39	* *	29	* *	29	* *	158	67.7 (69)	323	7.1 (19)
La Crosse Cty	595	67.6 (27)	259	24.7 (31)	341	16.4 (10)	170	20.6 (12)	208	6.7 (20)	1,141	86.6 (17)	2,415	3.8 (1)
Marinette	222	50.0 (58)	110	21.8 (37)	160	3.1 (53)	72	* *	104	11.5 (9)	525	86.3 (19)	1,046	11.4 (53)
Menominee	146	66.4 (33)	57	* *	94	* *	32	* *	54	* *	289	89.3 (7)	555	7.6 (22)
Mil. City	2,000	62.4 (40)	854	19.3 (41)	1,367	9.5 (40)	549	7.8 (31)	827	2.2 (40)	4,159	75.4 (62)	8,548	12.5 (59)
MLK	632	57.4 (55)	350	10.6 (46)	547	6.9 (51)	203	7.9 (30)	332	2.7 (38)	1,378	74.2 (65)	2,880	18.4 (69)
Monitowoc	402	60.0 (47)	154	24.0 (33)	257	11.7 (20)	118	23.7 (8)	147	8.2 (14)	786	76.8 (60)	1,649	8.6 (35)
Monroe Cty	272	69.5 (19)	122	32.8 (11)	182	13.7 (16)	90	* *	109	12.8 (6)	521	85.6 (24)	1,142	10.0 (46)
NEW Comm	1,476	58.7 (51)	674	24.0 (33)	999	10.7 (28)	467	11.8 (23)	602	3.8 (33)	2,919	78.5 (55)	6,014	8.2 (30)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 4
Run Date: 3 / 13 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
NHA	1,073	49.0 (59)	438	20.8 (39)	652	10.7 (28)	313	9.6 (27)	409	3.2 (36)	1,840	84.1 (31)	4,035	8.6 (35)
NWCSA	302	66.2 (35)	138	30.4 (15)	205	12.2 (18)	126	31.0 (1)	134	20.1 (1)	570	82.5 (42)	1,215	8.1 (27)
Oconto Cty	136	59.6 (49)	75	* *	91	* *	42	* *	68	* *	308	84.7 (27)	631	12.8 (61)
Oneida	143	61.5 (44)	80	* *	108	7.4 (49)	57	* *	78	* *	254	81.1 (47)	576	18.1 (68)
Oneida Cty	163	58.3 (53)	69	* *	80	* *	59	* *	67	* *	283	91.9 (3)	631	8.7 (37)
Outagamie	678	66.5 (32)	250	28.0 (20)	363	9.9 (37)	221	19.5 (13)	246	7.7 (16)	1,251	82.1 (44)	2,575	5.9 (10)
Pierce Cty	155	73.5 (11)	83	* *	103	10.7 (28)	70	* *	78	* *	360	90.8 (4)	716	10.8 (49)
Polk Cty	259	76.1 (7)	121	36.4 (6)	149	10.1 (36)	95	* *	111	12.6 (7)	434	82.0 (45)	977	8.1 (27)
Portage Cty	275	72.0 (13)	117	31.6 (13)	159	13.8 (15)	99	* *	108	10.2 (11)	549	88.5 (10)	1,198	6.7 (14)
Price Cty	79	* *	52	* *	66	* *	27	* *	41	* *	259	82.6 (41)	475	9.7 (44)
Racine	433	54.3 (56)	186	18.8 (43)	261	10.3 (33)	113	10.6 (25)	182	2.7 (38)	843	78.4 (57)	1,777	8.0 (26)
Rusk Cty	85	* *	42	* *	72	* *	23	* *	37	* *	204	84.3 (30)	414	11.8 (55)
Sauk Cty	335	77.9 (2)	173	37.0 (4)	196	17.3 (4)	171	25.1 (6)	168	7.7 (16)	646	79.3 (54)	1,389	10.9 (50)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 5
Run Date: 3 / 13 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number % Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number % (Rank)			
Sawyer Cty	99 * *	51 * *	63 * *	39 * *	49 * *	227 80.6 (50)	460 11.7 (54)			
Seeds	768 68.1 (25)	356 27.8 (21)	612 12.1 (19)	246 8.9 (28)	341 5.0 (27)	1,562 83.2 (36)	3,167 6.8 (16)			
Shawano	184 66.8 (31)	87 * *	143 10.5 (31)	54 * *	82 * *	405 85.7 (23)	832 9.9 (45)			
Sheboygan	567 64.6 (36)	239 25.9 (26)	403 11.4 (24)	208 14.4 (20)	228 8.3 (13)	1,150 83.0 (39)	2,376 8.9 (39)			
St. Croix Cty	292 76.4 (6)	148 32.4 (12)	165 18.8 (3)	103 30.1 (2)	145 14.5 (2)	546 80.6 (50)	1,179 5.3 (6)			
SWCAP	350 68.6 (21)	153 24.2 (32)	195 15.4 (12)	121 14.9 (18)	143 9.8 (12)	559 87.3 (14)	1,275 6.8 (16)			
Taylor Cty	120 68.3 (22)	47 * *	65 * *	32 * *	42 * *	202 78.2 (59)	450 11.8 (55)			
Trempe	195 67.7 (26)	99 * *	108 15.7 (11)	80 * *	92 * *	371 95.7 (2)	795 4.4 (2)			
Vernon Cty	182 72.0 (13)	79 * *	116 17.2 (5)	57 * *	71 * *	360 85.8 (22)	751 7.3 (20)			
Vilas	65 * *	31 * *	43 * *	29 * *	29 * *	127 83.5 (33)	272 8.8 (38)			
Walworth Cty	521 77.4 (3)	289 37.0 (4)	283 16.6 (8)	229 24.5 (7)	273 5.9 (22)	906 84.7 (27)	2,050 5.8 (9)			
Wash/Oz	537 73.4 (12)	217 33.6 (9)	322 14.0 (14)	188 28.2 (3)	211 7.6 (18)	920 87.9 (12)	1,992 6.2 (12)			
Washburn Cty	92 * *	53 * *	68 * *	34 * *	42 * *	223 70.4 (67)	448 6.7 (14)			

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2008 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 6
Run Date: 3 / 13 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Waukesha Cty	651	70.7 (16)	284	30.6 (14)	311	14.1 (13)	239	14.6 (19)	273	4.4 (30)	1,044	83.5 (33)	2,425	6.6 (13)
Waupaca Cty	219	63.5 (37)	101	33.7 (8)	153	11.1 (26)	76	* *	94	* *	361	88.6 (9)	833	14.8 (65)
Wee Care	2,104	59.1 (50)	862	17.5 (44)	1,385	7.0 (50)	575	7.8 (31)	820	1.5 (42)	3,874	78.4 (57)	8,286	12.8 (61)
West Allis	364	67.0 (30)	140	32.9 (10)	202	9.9 (37)	122	11.5 (24)	133	4.5 (29)	553	86.1 (20)	1,303	12.7 (60)
Winnebago	678	63.1 (38)	289	22.8 (36)	385	8.3 (47)	214	15.0 (17)	281	5.3 (26)	1,115	83.7 (32)	2,505	6.8 (16)
Wood Cty	458	52.6 (57)	161	25.5 (28)	213	11.3 (25)	131	26.7 (4)	138	13.8 (4)	654	85.6 (24)	1,497	8.4 (34)
Wisconsin	31,985	64.6	13,963	27.1	19,862	12.3	10,160	15.7	12,963	6.3	60,419	81.8	127,950	9.3
Nation (Prior Year)	1,747,004	59.8	874,434	25.4	979,105	17.5	127,047	10.2	182,064	5.2	687,613	75.0	3,047,308	11.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)														
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)			
	Low		High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
16th Street	4,364	6.4 (13)	8.2 (31)		20,217	7.1 (67)	1.5 (3)	19.8 (69)		9,798	20.8 (68)	22.4 (68)	15,497	9.9 (50)
Aurora	4,433	9.2 (58)	4.2 (2)		11,755	4.5 (17)	7.1 (71)	9.0 (4)		4,266	13.9 (11)	10.5 (15)	6,510	28.8 (71)
Barron Cty	835	8.4 (45)	9.5 (49)		3,236	5.3 (35)	2.4 (12)	12.6 (43)		1,361	17.4 (46)	14.1 (48)	2,281	8.3 (39)
Bay Area	579	5.5 (4)	12.1 (66)		2,607	5.6 (43)	4.3 (54)	10.4 (13)		1,256	15.2 (22)	9.4 (10)	2,007	5.9 (24)
Buffalo	278	7.2 (20)	7.6 (18)		1,168	3.3 (3)	3.6 (41)	10.3 (11)		535	19.3 (63)	14.0 (46)	846	12.5 (60)
Burnett Cty	276	8.3 (43)	7.6 (18)		1,145	5.3 (35)	4.5 (58)	8.4 (1)		521	14.4 (15)	7.5 (2)	838	1.9 (1)
Calumet Cty	448	9.8 (63)	7.8 (23)		1,840	6.6 (66)	4.0 (49)	12.1 (37)		850	17.1 (43)	14.7 (55)	1,385	4.6 (16)
Chippewa	1,005	7.5 (28)	7.4 (17)		4,092	6.2 (58)	3.1 (31)	11.0 (21)		1,838	15.6 (27)	11.5 (25)	3,022	8.5 (42)
City Mad	4,548	8.2 (41)	8.3 (32)		16,416	5.0 (26)	2.9 (23)	13.0 (47)		6,962	12.9 (6)	10.9 (17)	11,690	11.1 (56)
Clark Cty	532	11.1 (67)	7.7 (21)		2,279	5.4 (39)	3.0 (28)	14.1 (56)		1,026	16.9 (40)	16.2 (62)	1,670	13.5 (64)
Columbia Cty	640	9.2 (58)	9.7 (56)		2,474	6.0 (54)	3.7 (43)	11.6 (28)		1,032	16.0 (30)	14.0 (46)	1,723	6.7 (31)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)														
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)			
	Low		High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Cudahy	1,954	9.0 (56)	9.3 (46)		6,586	5.7 (46)	3.7 (43)	10.7 (17)		2,561	15.4 (24)	11.4 (21)	4,535	9.7 (48)
Dane Cty	941	7.5 (28)	9.5 (49)		3,708	5.0 (26)	3.1 (31)	10.8 (20)		1,590	15.3 (23)	12.2 (29)	2,703	8.6 (43)
Dodge Cty	949	8.9 (55)	7.0 (13)		3,700	4.6 (19)	4.6 (59)	9.2 (5)		1,633	11.3 (4)	8.1 (3)	2,636	6.2 (27)
Door Cty	328	5.2 (2)	8.5 (37)		1,357	3.5 (4)	2.9 (23)	9.2 (5)		644	18.9 (58)	13.2 (37)	998	4.1 (13)
Dunn Cty	631	6.2 (10)	10.1 (62)		2,804	6.0 (54)	4.4 (56)	11.7 (31)		1,286	17.0 (41)	13.0 (35)	2,035	3.4 (5)
Eau Claire	1,683	6.2 (10)	8.6 (41)		6,912	5.7 (46)	2.2 (9)	10.5 (14)		3,068	15.8 (29)	10.9 (17)	5,085	11.6 (58)
Family Health	739	7.3 (24)	8.5 (37)		2,953	4.4 (14)	4.1 (51)	13.9 (55)		1,291	16.4 (35)	15.0 (57)	2,084	10.2 (54)
Family Plan	2,569	7.2 (20)	6.7 (8)		10,176	7.8 (70)	1.8 (5)	13.2 (49)		4,446	18.3 (55)	13.5 (43)	7,509	4.5 (14)
Florence Cty	70	* *	* *		351	7.4 (68)	1.4 (2)	10.5 (14)		180	15.0 (20)	8.3 (5)	248	11.3 (57)
Fond du Lac	1,394	9.0 (56)	6.5 (7)		5,662	6.4 (64)	3.4 (38)	9.2 (5)		2,563	14.6 (16)	8.9 (6)	4,192	8.9 (45)
Forest Cty	162	8.6 (50)	6.8 (9)		712	6.2 (58)	3.8 (46)	15.0 (63)		351	13.7 (9)	16.0 (61)	542	7.0 (32)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)													
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
GLITC	832	6.0 (8)	13.1 (68)	3,764	4.0 (9)	2.8 (18)	21.9 (71)	1,746	21.6 (69)	24.1 (69)		2,831	9.8 (49)
Grant Cty	801	6.9 (16)	9.7 (56)	3,475	4.2 (12)	4.2 (52)	9.8 (10)	1,590	14.8 (17)	11.4 (21)		2,596	4.7 (17)
Green Cty	472	8.5 (47)	9.7 (56)	1,911	7.8 (70)	2.8 (18)	17.4 (67)	807	20.6 (66)	24.3 (70)		1,353	8.1 (38)
Health	2,848	9.6 (61)	7.3 (15)	10,198	6.2 (58)	3.0 (28)	13.7 (53)	4,235	17.6 (47)	14.4 (51)		7,113	7.6 (36)
Jackson	379	5.8 (6)	11.3 (64)	1,686	5.1 (28)	3.1 (31)	11.7 (31)	781	21.6 (69)	11.4 (21)		1,155	8.0 (37)
Jefferson Cty	1,217	5.9 (7)	8.4 (33)	5,081	3.5 (4)	3.3 (37)	11.8 (33)	2,211	17.0 (41)	15.7 (60)		3,637	5.4 (20)
Juneau	915	7.9 (37)	9.3 (46)	3,795	5.7 (46)	2.5 (14)	14.7 (60)	1,699	17.8 (50)	13.4 (41)		2,731	7.4 (34)
Kenosha Cty	3,212	9.7 (62)	6.1 (6)	11,689	7.6 (69)	2.4 (12)	14.7 (60)	4,847	16.2 (32)	13.9 (45)		8,073	16.9 (67)
Kewaunee Cty	215	7.9 (37)	8.4 (33)	933	4.9 (25)	1.3 (1)	15.9 (65)	427	18.7 (57)	14.5 (52)		685	12.7 (61)
La Crosse Cty	1,741	7.3 (24)	9.6 (52)	6,786	6.4 (64)	4.0 (49)	11.3 (24)	3,061	19.0 (60)	12.4 (30)		5,026	6.6 (30)
Marinette	688	6.8 (14)	9.6 (52)	3,094	4.7 (21)	4.8 (63)	9.7 (9)	1,414	9.0 (1)	7.1 (1)		2,327	3.7 (7)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 4
Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)														
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)			
	Low		High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Menominee	421	6.9 (16)	12.1 (66)		1,640	2.1 (1)	1.6 (4)	21.0 (70)		771	23.2 (71)	20.5 (67)	1,228	3.9 (9)
Mil. City	6,044	11.1 (67)	5.3 (4)		24,499	6.2 (58)	4.9 (65)	11.9 (35)		11,098	16.3 (34)	12.6 (32)	18,354	17.3 (68)
MLK	2,160	13.0 (70)	3.9 (1)		8,882	5.4 (39)	6.3 (69)	10.5 (14)		3,865	11.6 (5)	8.1 (3)	6,600	23.4 (70)
Monitowoc	1,113	8.5 (47)	7.3 (15)		4,645	5.2 (32)	2.7 (16)	13.0 (47)		2,082	19.1 (61)	14.8 (56)	3,299	10.1 (53)
Monroe Cty	797	7.7 (30)	8.4 (33)		3,116	5.5 (42)	2.2 (9)	14.8 (62)		1,307	15.1 (21)	12.4 (30)	2,190	5.5 (22)
NEW Comm	4,332	7.8 (32)	8.0 (27)		17,144	4.6 (19)	4.7 (61)	12.2 (38)		7,904	13.5 (8)	12.1 (28)	12,783	6.0 (26)
NHA	3,198	8.7 (52)	8.1 (30)		11,629	5.2 (32)	3.7 (43)	13.3 (50)		4,737	16.2 (32)	13.5 (43)	7,963	9.2 (47)
NWCSA	823	5.1 (1)	11.5 (65)		3,500	4.1 (10)	3.9 (48)	12.5 (41)		1,589	19.1 (61)	14.5 (52)	2,378	13.9 (65)
Oconto Cty	441	7.9 (37)	7.9 (25)		1,775	5.3 (35)	3.4 (38)	16.9 (66)		778	17.7 (49)	19.3 (66)	1,283	7.5 (35)
Oneida	433	5.3 (3)	16.9 (70)		1,608	4.2 (12)	1.9 (7)	19.2 (68)		696	19.8 (65)	24.7 (71)	1,143	2.9 (3)
Oneida Cty	461	8.5 (47)	8.0 (27)		1,772	4.7 (21)	4.7 (61)	8.5 (2)		729	13.7 (9)	9.2 (8)	1,218	6.5 (29)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)													
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Outagamie	1,943	9.5 (60)	6.8 (9)	7,437	5.1 (28)	4.9 (65)	11.6 (28)	3,423	18.2 (53)	14.1 (48)		4,984	9.1 (46)
Pierce Cty	476	5.7 (5)	9.5 (49)	2,097	6.2 (58)	2.1 (8)	12.5 (41)	977	18.9 (58)	10.4 (13)		1,567	10.9 (55)
Polk Cty	721	7.8 (32)	6.8 (9)	2,606	4.1 (10)	4.3 (54)	8.9 (3)	1,076	14.2 (14)	9.1 (7)		1,835	8.8 (44)
Portage Cty	863	7.3 (24)	9.6 (52)	3,459	6.0 (54)	2.9 (23)	11.2 (23)	1,452	14.9 (19)	11.6 (26)		2,429	4.5 (14)
Price Cty	256	6.3 (12)	9.0 (45)	1,374	3.6 (7)	3.1 (31)	12.3 (39)	677	17.6 (47)	13.1 (36)		1,081	3.5 (6)
Racine	1,251	10.1 (65)	5.7 (5)	4,848	3.8 (8)	2.9 (23)	12.4 (40)	2,159	14.8 (17)	11.2 (20)		3,576	16.3 (66)
Rusk Cty	288	8.0 (40)	11.1 (63)	1,280	4.4 (14)	1.8 (5)	14.6 (59)	610	18.2 (53)	16.2 (62)		956	4.8 (18)
Sauk Cty	957	6.0 (8)	9.9 (59)	3,883	5.9 (52)	2.2 (9)	14.4 (58)	1,681	18.3 (55)	17.6 (65)		2,759	5.9 (24)
Sawyer Cty	294	6.8 (14)	8.5 (37)	1,293	4.5 (17)	2.9 (23)	11.0 (21)	580	17.8 (50)	13.3 (39)		960	4.0 (11)
Seeds	2,412	7.4 (27)	8.5 (37)	9,507	3.2 (2)	4.4 (56)	11.4 (26)	4,236	17.8 (50)	14.5 (52)		6,967	11.7 (59)
Shawano	558	8.4 (45)	7.9 (25)	2,296	5.3 (35)	3.2 (36)	12.8 (46)	1,026	13.9 (11)	10.7 (16)		1,742	5.4 (20)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance ⁽¹⁾
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)														
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)			
	Low		High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sheboygan	1,671	7.8 (32)	6.8 (9)		6,574	5.6 (43)	5.5 (67)	11.9 (35)		2,937	16.0 (30)	13.3 (39)	4,818	3.9 (9)
St. Croix Cty	853	8.3 (43)	9.6 (52)		3,287	5.8 (50)	2.8 (18)	11.5 (27)		1,391	17.2 (45)	12.7 (33)	2,299	3.8 (8)
SWCAP	986	7.2 (20)	9.4 (48)		3,666	5.8 (50)	2.8 (18)	12.7 (44)		1,513	20.6 (66)	14.3 (50)	2,500	10.0 (51)
Taylor Cty	333	7.8 (32)	9.9 (59)		1,304	3.5 (4)	6.1 (68)	10.7 (17)		583	11.0 (2)	10.1 (11)	972	3.1 (4)
Tremp	574	7.1 (18)	9.9 (59)		2,227	4.4 (14)	4.6 (59)	15.3 (64)		984	19.5 (64)	15.2 (59)	1,583	10.0 (51)
Vernon Cty	459	8.7 (52)	13.5 (69)		2,027	5.2 (32)	2.8 (18)	13.6 (52)		916	17.1 (43)	16.2 (62)	1,473	5.6 (23)
Vilas	207	7.7 (30)	7.7 (21)		726	5.1 (28)	3.6 (41)	11.6 (28)		279	15.4 (24)	12.9 (34)	459	2.8 (2)
Walworth Cty	1,476	7.2 (20)	8.6 (41)		5,752	5.4 (39)	2.7 (16)	12.7 (44)		2,350	15.6 (27)	15.0 (57)	3,978	7.1 (33)
Wash/Oz	1,506	7.8 (32)	7.6 (18)		5,493	6.1 (57)	3.5 (40)	11.8 (33)		2,324	15.5 (26)	10.3 (12)	3,856	8.4 (40)
Washburn Cty	304	8.6 (50)	8.9 (44)		1,294	4.8 (23)	6.3 (69)	9.4 (8)		591	11.2 (3)	9.3 (9)	943	5.3 (19)
Waukesha Cty	1,968	8.2 (41)	7.8 (23)		7,109	5.1 (28)	2.5 (14)	13.4 (51)		2,777	16.7 (39)	13.2 (37)	4,514	6.2 (27)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Wisconsin
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Waupaca Cty	669	10.6 (66)	8.4 (33)	2,421	5.9 (52)	3.8 (46)	13.8 (54)	1,000	13.2 (7)	11.4 (21)		1,643	4.0 (11)
Wee Care	6,011	12.1 (69)	4.3 (3)	23,271	6.3 (63)	4.2 (52)	10.7 (17)	9,958	13.9 (11)	10.4 (13)		16,249	22.8 (69)
West Allis	1,051	8.7 (52)	8.7 (43)	3,627	4.8 (23)	4.8 (63)	10.3 (11)	1,410	16.5 (36)	11.7 (27)		2,382	13.0 (63)
Winnebago	1,954	9.9 (64)	7.2 (14)	7,502	5.7 (46)	3.1 (31)	14.2 (57)	3,100	16.5 (36)	13.4 (41)		5,290	12.8 (62)
Wood Cty	1,199	7.1 (18)	8.0 (27)	4,216	5.6 (43)	3.0 (28)	11.3 (24)	1,715	16.6 (38)	11.1 (19)		2,820	8.4 (40)
Unknown Local Ag.	0	* *	* *	40	* *	* *	* *	21	* *	* *		33	* *
Wisconsin	94,141	8.6	7.6	365,388	5.5	3.6	12.6	159,178	16.2	13.3		260,670	10.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 1
Run Date: 3 / 13 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
16th Street	4,656	84.5 (1)	3,533	43.3 (1)	3,645	26.3 (1)	3,037	11.1 (44)	3,161	5.6 (42)	10,767	80.3 (54)	10,518	6.3 (5)
Aurora	4,024	39.8 (70)	2,086	11.9 (70)	2,129	7.1 (67)	1,854	3.5 (69)	1,861	1.5 (69)	4,531	83.0 (34)	6,689	16.0 (63)
Barron Cty	913	68.1 (33)	604	22.8 (32)	564	9.8 (49)	569	15.5 (22)	543	5.9 (39)	1,471	80.8 (47)	1,800	8.7 (22)
Bay Area	608	70.6 (18)	447	31.8 (6)	437	19.5 (3)	395	24.1 (1)	409	13.2 (2)	1,369	87.8 (10)	1,413	9.3 (25)
Buffalo	296	73.6 (9)	195	22.6 (34)	192	14.6 (13)	169	10.1 (49)	164	6.7 (30)	570	87.4 (13)	644	7.9 (16)
Burnett Cty	288	76.7 (3)	208	24.0 (26)	204	12.3 (23)	190	18.9 (13)	185	9.2 (8)	546	95.4 (1)	626	14.2 (56)
Calumet Cty	484	62.8 (46)	315	22.2 (35)	325	10.8 (38)	289	14.5 (26)	282	10.3 (6)	922	80.8 (47)	1,052	8.5 (20)
Chippewa	1,071	66.4 (40)	703	20.6 (48)	723	9.0 (57)	602	13.1 (32)	597	6.5 (31)	1,991	87.6 (11)	2,270	9.7 (27)
City Mad	5,377	75.8 (6)	3,342	39.3 (2)	3,125	23.4 (2)	2,993	14.2 (28)	2,826	9.8 (7)	7,492	85.4 (21)	9,556	7.1 (10)
Clark Cty	585	73.3 (12)	395	19.2 (53)	391	7.2 (66)	366	12.8 (35)	371	3.2 (59)	1,137	84.4 (26)	1,240	9.8 (28)
Columbia Cty	714	69.6 (25)	476	26.7 (17)	439	13.9 (14)	407	16.7 (19)	391	6.9 (27)	1,109	81.7 (41)	1,488	10.3 (40)
Cudahy	2,126	65.7 (42)	1,255	21.4 (39)	1,241	9.8 (49)	1,031	8.7 (54)	1,002	4.4 (53)	2,792	72.4 (69)	3,976	21.1 (68)
Dane Cty	633	73.5 (11)	566	32.3 (5)	632	18.5 (4)	410	11.5 (39)	443	7.0 (24)	1,713	79.3 (57)	2,233	7.8 (15)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 2
Run Date: 3 / 13 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Dodge Cty	1,056	74.5 (8)	673	28.1 (13)	641	16.1 (8)	642	20.9 (7)	616	11.0 (4)	1,748	88.4 (8)	2,214	7.1 (10)
Door Cty	347	71.2 (17)	216	29.6 (9)	237	11.4 (33)	206	21.4 (2)	200	8.0 (15)	680	84.3 (27)	770	7.9 (16)
Dunn Cty	690	68.6 (30)	478	22.8 (32)	470	9.8 (49)	444	20.5 (9)	434	11.1 (3)	1,389	80.7 (49)	1,577	6.2 (4)
Eau Claire	1,793	70.6 (18)	1,213	20.9 (42)	1,240	8.8 (59)	1,104	11.2 (42)	1,099	5.4 (45)	3,329	84.3 (27)	3,763	7.0 (8)
Family Health	815	57.4 (60)	517	17.0 (63)	501	9.4 (54)	373	8.3 (55)	346	6.9 (27)	1,391	74.9 (67)	1,693	11.5 (49)
Family Plan	2,800	57.7 (58)	1,920	16.6 (64)	1,758	8.8 (59)	1,671	9.2 (53)	1,620	4.0 (55)	4,815	81.3 (45)	5,809	10.2 (38)
Florence Cty	79	* *	54	* *	51	* *	43	* *	43	* *	193	88.6 (6)	205	10.2 (38)
Fond du Lac	1,513	67.7 (36)	1,033	24.3 (22)	1,033	11.2 (36)	995	16.8 (17)	961	6.3 (32)	2,785	86.0 (16)	3,205	10.1 (34)
Forest Cty	165	53.3 (66)	119	20.2 (49)	121	7.4 (65)	101	11.9 (36)	104	4.8 (50)	388	76.0 (66)	379	19.3 (67)
GLITC	901	57.6 (59)	669	18.5 (57)	700	10.7 (39)	561	7.8 (58)	571	4.4 (53)	1,917	82.7 (36)	1,994	16.4 (64)
Grant Cty	867	62.6 (47)	617	23.8 (27)	592	11.8 (29)	423	13.2 (31)	427	7.0 (24)	1,720	82.7 (36)	1,912	9.0 (24)
Green Cty	523	60.2 (54)	359	21.2 (41)	375	12.0 (28)	337	17.8 (15)	335	6.3 (32)	895	87.5 (12)	1,099	15.7 (62)
Health	3,046	61.0 (52)	1,879	18.6 (56)	1,805	10.5 (43)	1,741	8.0 (57)	1,707	3.7 (57)	4,577	77.3 (64)	5,776	11.0 (45)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 3
Run Date: 3 / 13 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Jackson	406	70.4 (21)	289	22.1 (36)	290	11.4 (33)	248	11.3 (41)	243	5.8 (41)	842	85.7 (19)	887	11.0 (45)
Jefferson Cty	1,355	69.4 (28)	984	24.9 (20)	908	13.8 (15)	830	7.2 (60)	826	5.1 (47)	2,394	86.5 (14)	2,881	9.8 (28)
Juneau	956	67.7 (36)	701	20.7 (45)	655	9.5 (53)	640	15.5 (22)	652	7.1 (23)	1,844	81.7 (41)	2,065	21.5 (69)
Kenosha Cty	3,419	59.5 (55)	2,039	18.5 (57)	2,046	8.9 (58)	1,956	5.6 (63)	1,848	2.9 (63)	5,213	81.1 (46)	6,892	13.6 (52)
Kewaunee Cty	237	71.3 (16)	152	24.3 (22)	146	12.3 (23)	122	21.3 (5)	120	8.3 (14)	467	69.2 (71)	521	9.4 (26)
La Crosse Cty	1,894	70.1 (24)	1,233	24.6 (21)	1,185	13.1 (20)	1,025	11.2 (42)	988	5.0 (49)	3,293	86.4 (15)	3,927	4.3 (1)
Marinette	735	49.3 (69)	519	16.2 (65)	554	6.9 (68)	462	9.5 (50)	476	5.5 (44)	1,542	86.0 (16)	1,711	15.2 (58)
Menominee	434	67.3 (39)	301	21.3 (40)	321	10.3 (44)	256	2.7 (70)	275	1.5 (69)	836	90.2 (4)	861	10.7 (41)
Mil. City	6,555	54.0 (64)	4,327	15.3 (66)	4,516	9.1 (56)	3,867	4.5 (68)	3,826	1.9 (67)	11,969	71.4 (70)	13,770	15.2 (58)
MLK	2,322	56.5 (61)	1,615	14.1 (68)	1,650	8.2 (62)	1,419	4.9 (66)	1,396	2.1 (66)	4,144	74.5 (68)	4,838	23.1 (70)
Monitowoc	1,201	58.7 (57)	769	19.6 (51)	812	11.7 (31)	723	11.1 (44)	708	5.9 (39)	2,259	77.0 (65)	2,550	12.7 (51)
Monroe Cty	897	68.2 (31)	578	20.1 (50)	570	11.2 (36)	527	10.4 (48)	498	5.4 (45)	1,399	82.3 (39)	1,735	11.4 (48)
NEW Comm	4,641	61.3 (50)	3,086	20.7 (45)	3,185	12.2 (25)	2,717	7.3 (59)	2,685	3.4 (58)	8,553	78.4 (60)	9,624	8.5 (20)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 4
Run Date: 3 / 13 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
NHA	3,387	51.6 (68)	2,116	18.5 (57)	2,122	10.7 (39)	1,857	6.7 (61)	1,795	3.1 (61)	5,116	85.1 (23)	6,561	10.9 (43)
NWCSA	910	69.5 (26)	617	26.9 (16)	616	13.6 (18)	597	21.4 (2)	576	13.7 (1)	1,696	88.6 (6)	1,975	10.1 (34)
Oconto Cty	464	53.4 (65)	331	13.0 (69)	308	5.8 (70)	308	5.2 (65)	310	2.3 (65)	840	81.5 (43)	999	14.0 (54)
Oneida	454	62.6 (47)	297	17.8 (61)	327	7.6 (64)	272	11.4 (40)	262	6.1 (36)	758	80.3 (54)	910	17.9 (65)
Oneida Cty	499	60.9 (53)	313	23.3 (30)	289	11.8 (29)	305	20.0 (11)	289	8.0 (15)	768	92.3 (2)	1,034	9.8 (28)
Outagamie	2,095	64.8 (43)	1,290	20.8 (43)	1,321	10.3 (44)	1,267	14.4 (27)	1,205	6.0 (38)	3,648	80.5 (53)	4,419	7.4 (13)
Pierce Cty	514	67.9 (35)	357	21.6 (38)	347	8.1 (63)	350	17.7 (16)	324	8.0 (15)	1,045	90.0 (5)	1,179	10.9 (43)
Polk Cty	776	75.9 (5)	510	25.9 (18)	466	10.7 (39)	444	21.4 (2)	436	8.5 (12)	1,154	79.3 (57)	1,516	10.0 (33)
Portage Cty	937	68.2 (31)	619	24.1 (25)	555	13.0 (21)	576	13.5 (30)	540	6.1 (36)	1,595	88.1 (9)	1,926	5.5 (2)
Price Cty	282	70.2 (22)	233	31.3 (7)	233	15.9 (9)	172	11.6 (38)	180	7.2 (22)	745	79.9 (56)	703	13.7 (53)
Racine	1,317	52.8 (67)	863	17.7 (62)	813	10.0 (46)	770	4.9 (66)	761	2.8 (64)	2,351	77.8 (61)	2,714	10.1 (34)
Rusk Cty	301	61.1 (51)	194	19.6 (51)	199	11.6 (32)	157	10.8 (46)	159	6.3 (32)	661	85.6 (20)	702	14.1 (55)
Sauk Cty	1,078	76.1 (4)	757	32.4 (4)	669	15.5 (11)	758	21.2 (6)	694	8.9 (10)	1,806	84.3 (27)	2,195	27.8 (71)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 5
Run Date: 3 / 13 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Sawyer Cty	322	72.0 (13)	229	19.2 (53)	222	9.9 (47)	210	16.2 (20)	201	8.5 (12)	631	80.7 (49)	689	11.6 (50)
Seeds	2,549	71.4 (15)	1,760	23.8 (27)	1,886	12.2 (25)	1,591	6.2 (62)	1,610	3.0 (62)	4,611	82.9 (35)	5,060	8.1 (18)
Shawano	606	65.8 (41)	415	20.7 (45)	432	10.6 (42)	364	9.3 (51)	373	7.0 (24)	1,132	85.2 (22)	1,300	10.8 (42)
Sheboygan	1,823	64.5 (44)	1,240	24.3 (22)	1,299	13.5 (19)	1,146	9.3 (51)	1,113	4.8 (50)	3,155	80.7 (49)	3,712	9.9 (32)
St. Croix Cty	933	73.6 (9)	588	28.9 (11)	554	15.7 (10)	562	18.3 (14)	527	8.7 (11)	1,476	77.4 (63)	1,932	7.0 (8)
SWCAP	1,069	68.7 (29)	680	23.7 (29)	643	13.8 (15)	619	15.5 (22)	615	7.8 (18)	1,624	84.3 (27)	2,180	8.4 (19)
Taylor Cty	348	68.1 (33)	219	21.9 (37)	225	13.8 (15)	186	15.6 (21)	184	7.6 (20)	623	80.7 (49)	756	18.8 (66)
Trempealeau	598	70.2 (22)	388	28.9 (11)	373	16.4 (6)	338	11.8 (37)	328	4.0 (55)	1,075	91.8 (3)	1,292	5.7 (3)
Vernon Cty	510	74.7 (7)	359	34.0 (3)	357	16.5 (5)	315	20.3 (10)	299	10.7 (5)	1,002	84.9 (24)	1,107	7.2 (12)
Vilas	221	54.3 (63)	140	22.9 (31)	127	9.4 (54)	137	16.8 (17)	130	9.2 (8)	316	83.5 (31)	405	10.1 (34)
Walworth Cty	1,659	77.1 (2)	1,131	31.3 (7)	1,006	15.2 (12)	1,082	19.5 (12)	1,050	5.6 (42)	2,544	83.1 (33)	3,363	6.5 (7)
Wash/Oz	1,711	71.5 (14)	1,015	28.1 (13)	1,030	12.5 (22)	1,003	20.6 (8)	960	7.6 (20)	2,504	84.9 (24)	3,294	8.8 (23)
Washburn Cty	342	70.5 (20)	256	27.0 (15)	252	9.9 (47)	211	14.2 (28)	215	5.1 (47)	635	77.8 (61)	720	6.3 (5)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Wisconsin

Page: 6
Run Date: 3 / 13 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Waukesha Cty	2,174	69.5 (26)	1,371	29.0 (10)	1,191	16.3 (7)	1,296	13.0 (33)	1,266	6.9 (27)	2,994	81.9 (40)	4,276	7.5 (14)
Waupaca Cty	713	61.7 (49)	443	20.8 (43)	421	9.7 (52)	401	13.0 (33)	390	6.2 (35)	1,067	85.8 (18)	1,402	15.5 (61)
Wee Care	6,482	59.1 (56)	4,234	14.2 (67)	4,370	6.8 (69)	3,657	5.5 (64)	3,707	1.8 (68)	10,779	78.6 (59)	12,867	15.2 (58)
West Allis	1,162	67.6 (38)	653	25.3 (19)	647	12.1 (27)	655	8.1 (56)	592	3.2 (59)	1,508	81.4 (44)	2,144	14.7 (57)
Winnebago	2,165	63.0 (45)	1,359	19.1 (55)	1,271	8.8 (59)	1,257	10.7 (47)	1,253	4.7 (52)	3,308	83.3 (32)	4,312	11.3 (47)
Wood Cty	1,282	56.5 (61)	741	18.1 (60)	729	11.4 (33)	670	14.9 (25)	627	7.8 (18)	1,861	82.4 (38)	2,469	9.8 (28)
Unknown Local Ag.	0	* *	2	* *	2	* *	0	* *	2	* *	21	* *	30	* *
Wisconsin	101,105	64.2	66,185	22.9	65,711	12.2	59,278	10.7	58,212	5.1	172,041	81.3	206,306	11.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.